

NIE-MPI: Tutorial 1

last update: September 15, 2026, 13:53 by Francesco Dolce

1.1 Algebra

Exercise 1.1. Find out which of the following groupoids is a group and which is an Abelian group.

- (a) $(\mathbb{N}, +)$, where $\mathbb{N}$ is the set of natural (non-negative) integers;
- (b) $(\mathbb{Z}, +)$, where $\mathbb{Z}$ is the set of integers;
- (c) $(\mathbb{R}, \cdot)$, where $\mathbb{R}$ is the set of real numbers;
- (d) $(\mathbb{C}, +)$, where $\mathbb{C}$ is the set of complex numbers.

Exercise 1.2. Which of the following couples forms a group?

- (a) $(\mathbb{Z}^-, +)$, where $\mathbb{Z}^-$ is the set of negative integers;
- (b) $(\mathbb{Q}, +)$, where $\mathbb{Q}$ is the set of rational numbers;
- (c) $(\mathbb{Q}_0^+, +)$, where $\mathbb{Q}_0^+$ is the set of non-negative rational numbers;
- (d) $(\{-1, 1\}, +)$;
- (e) $(\{-1, 1\}, \cdot)$.

Exercise 1.3. Which of the following sets with the operation $\circ$ defined for all a, b by

$$a \circ b := a^b$$

forms a groupoid/semigroup/group/Abelian group?

- (a) $(\mathbb{Q}, \circ)$;
- (b) $(\mathbb{N}, \circ)$;
- (c) $(\{-1, 1\}, \circ)$.

Exercise 1.4. Which of the following sets of complex square matrices creates a group with the common matrix multiplication?

- (a) Real matrices;

- (b) Regular real matrices;
- (c) Regular diagonal real matrices;
- (d) Upper (lower) regular triangular real matrices.

Exercise 1.5. Let us consider the set $M := \mathbb{Z} \times \mathbb{Z} \times \{1, -1\}$ and the operation $\otimes$ on it defined by:

$$\begin{aligned}(k_1, \ell_1, 1) \otimes (k_2, \ell_2, \varepsilon) &:= (k_1 + k_2, \ell_1 + \ell_2, \varepsilon) \\ (k_1, \ell_1, -1) \otimes (k_2, \ell_2, \varepsilon) &:= (k_1 + k_2, \ell_1 + \ell_2, -\varepsilon)\end{aligned}$$

for $\varepsilon \in \{1, -1\}$. Is $(M, \otimes)$ a group?

Exercise 1.6. Let us define the operations $\sqcap$ and $\triangle$ on $\mathbb{R}$ as:

$$a \sqcap b := a + b + 1 \quad \text{and} \quad a \triangle b := a + b + ab$$

for arbitrary $a, b \in \mathbb{R}$.

Prove that

- (a) $(\mathbb{R}, \sqcap)$ is an Abelian group;
- (b) $(\mathbb{R}, \triangle)$ is not a group.

Exercise 1.7. Let ρ be a plane. For arbitrary points $A, B \in \rho$ let $A \star B$ be the central point of the segment AB . Is $(\rho, \star)$ a group?

Exercise 1.8. Let us consider the set $\mathbb{N}$ and the operation $\wedge$ such that for arbitrary $a, b \in \mathbb{N}$ we have $a \wedge b$ equal to the greatest common divisor of a, b . Is $(\mathbb{N}, \wedge)$ a group?

Exercise 1.9. Decide whether the following table is the Cayley table of a group:

	a	b	c	d
a	a	b	c	d
b	b	a	d	c
c	c	d	a	b
d	d	c	b	a

How can we recognize that it is Cayley table of an Abelian group?